

# Product Information

DH618

2Easy DH system door station



| DESCRIPTION                                                                                   | FEATURES                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
|-----------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 2Easy DH system door station/video doorbell                                                   | <ul style="list-style-type: none"><li>• Compact design for narrow installation</li><li>• 2MP 1080 starlight camera</li><li>• Anodized finish CNC 6061-T651 aluminum</li><li>• IP54 protection against dust and water</li><li>• Mechanical call button with ring LED</li><li>• 1.8-inch user friendly interaction TFT screen</li><li>• Customizable 1.8-inch for name/room etc.</li><li>• Self-locking installation buckle easy mounting</li><li>• 1 Dry contact for lock up to 3A</li></ul> |
| <div><div>DIMENSION</div><div><div><div>130</div><div>48</div><div>26</div></div></div></div> |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |


Parts and Functions



Key Functions


|                        |                                     |
|------------------------|-------------------------------------|
| Camera                 | Camera for video                    |
| 1.8-inch screen        | 1.8 inch 240*284 TFT display screen |
| Call button            | Mechanical call button              |
| Speaker                | Display voice or beeps              |
| Mounting release point | For release the mounting            |

Terminal Description



**L1,L2:** 2Easy DH bus line  
**NO,COM:** Dry contact relay output for lock

Mounting



## Specification

Power Source: 24Vdc ~ 30Vdc  
Standby current: 62.5mA/1.5W  
Working current: 78.6mA/2.2W  
Camera(1080p): 2MP Horizontal 150 degree  
TFT screen : 1.8" TFT screen (optional)  
Resolution: 240 \* 284(optional)  
Wire type: 2Easy DH 2 wires  
Operating temp: -10 to 50 (°C)  
Dimension: 130(H)×48(W)×26(D)mm

## Ordering Information



| Model No. | Description                                                          |
|-----------|----------------------------------------------------------------------|
| DH618     | 2Easy DH system door station/video doorbell with one calling button. |